

# Edelstahl Flach

Güte 1.4301

| Abmessung | kg/mtr. | Abmessung | kg/mtr. | Abmessung | kg/mtr. |
|-----------|---------|-----------|---------|-----------|---------|
| 10 / 3    | 0,24    | 35 / 3    | 0,82    | 65 / 8    | 4,08    |
| 10 / 4    | 0,31    | 35 / 4    | 1,10    | 65 / 10   | 5,10    |
| 10 / 5    | 0,39    | 35 / 5    | 1,37    |           |         |
|           |         | 35 / 6    | 1,65    |           |         |
|           |         | 35 / 8    | 2,20    |           |         |
|           |         | 35 / 10   | 2,75    |           |         |
|           |         | 35 / 12   | 3,30    |           |         |
|           |         | 35 / 15   | 4,12    |           |         |
|           |         | 35 / 20   | 5,50    |           |         |
| 15 / 3    | 0,36    | 40 / 3    | 0,94    | 70 / 3    | 1,65    |
| 15 / 4    | 0,47    | 40 / 4    | 1,26    | 70 / 4    | 2,20    |
| 15 / 5    | 0,59    | 40 / 5    | 1,57    | 70 / 5    | 2,75    |
| 15 / 6    | 0,71    | 40 / 6    | 1,88    | 70 / 6    | 3,30    |
| 15 / 8    | 0,94    | 40 / 8    | 2,51    | 70 / 8    | 4,40    |
| 15 / 10   | 1,18    | 40 / 10   | 3,14    | 70 / 10   | 5,50    |
|           |         | 40 / 12   | 3,77    | 70 / 12   | 6,59    |
|           |         | 40 / 15   | 4,71    | 70 / 15   | 8,24    |
|           |         | 40 / 20   | 6,28    | 70 / 20   | 10,99   |
| 20 / 3    | 0,47    | 45 / 5    | 1,77    | 80 / 3    | 1,88    |
| 20 / 4    | 0,63    | 45 / 6    | 2,12    | 80 / 4    | 2,51    |
| 20 / 5    | 0,79    | 45 / 8    | 2,83    | 80 / 5    | 3,14    |
| 20 / 6    | 0,94    | 45 / 10   | 3,53    | 80 / 6    | 3,77    |
| 20 / 8    | 1,26    | 45 / 12   | 4,24    | 80 / 8    | 5,02    |
| 20 / 10   | 1,57    | 45 / 15   | 5,30    | 80 / 10   | 6,28    |
| 20 / 12   | 1,88    |           |         | 80 / 12   | 7,54    |
| 20 / 15   | 2,36    |           |         | 80 / 15   | 9,42    |
|           |         |           |         | 80 / 20   | 12,56   |
| 25 / 3    | 0,59    | 50 / 3    | 1,18    | 90 / 5    | 3,53    |
| 25 / 4    | 0,79    | 50 / 4    | 1,57    | 90 / 6    | 4,24    |
| 25 / 5    | 0,98    | 50 / 5    | 1,96    | 90 / 8    | 5,56    |
| 25 / 6    | 1,18    | 50 / 6    | 2,36    | 90 / 10   | 7,07    |
| 25 / 8    | 1,57    | 50 / 8    | 3,14    | 90 / 12   | 8,48    |
| 25 / 10   | 1,96    | 50 / 10   | 3,93    | 90 / 15   | 10,60   |
| 25 / 12   | 2,36    | 50 / 12   | 4,71    |           |         |
| 25 / 15   | 2,94    | 50 / 15   | 5,89    |           |         |
| 25 / 20   | 3,93    | 50 / 20   | 7,85    |           |         |
| 30 / 3    | 0,71    | 60 / 3    | 1,41    | 100 / 4   | 3,14    |
| 30 / 4    | 0,94    | 60 / 4    | 1,88    | 100 / 5   | 3,93    |
| 30 / 5    | 1,18    | 60 / 5    | 2,36    | 100 / 6   | 4,71    |
| 30 / 6    | 1,41    | 60 / 6    | 2,83    | 100 / 8   | 6,28    |
| 30 / 8    | 1,88    | 60 / 8    | 3,77    | 100 / 10  | 7,85    |
| 30 / 10   | 2,36    | 60 / 10   | 4,71    | 100 / 12  | 9,42    |
| 30 / 12   | 2,83    | 60 / 12   | 5,65    | 100 / 15  | 11,78   |
| 30 / 15   | 3,53    | 60 / 15   | 7,07    | 100 / 20  | 15,70   |
| 30 / 20   | 4,71    | 60 / 20   | 9,42    |           |         |

|   |   |
|---|---|
|  | <h2 style="margin: 0;">Edelstahl Flach</h2> <p style="margin: 0;">Güte 1.4301</p> |
|---|---|

| Abmessung | kg/mtr. |
|-----------|---------|
| 120 / 5   | 4,71    |
| 120 / 6   | 5,65    |
| 120 / 8   | 7,54    |
| 120 / 10  | 9,42    |
| 120 / 12  | 11,30   |
| 120 / 15  | 14,13   |
|           |         |
| 140 / 8   | 8,79    |
| 140 / 10  | 10,99   |
| 140 / 15  | 16,40   |

| Abmessung | kg/mtr. |
|-----------|---------|
| 150 / 5   | 5,80    |
| 150 / 6   | 7,07    |
| 150 / 8   | 9,42    |
| 150 / 10  | 11,78   |
| 150 / 12  | 14,13   |
| 150 / 15  | 17,66   |
|           |         |
| 160 / 8   | 10,05   |
| 160 / 10  | 12,56   |
| 160 / 15  | 18,74   |

| Abmessung | kg/mtr. |
|-----------|---------|
| 180 / 10  | 14,13   |
|           |         |
| 200 / 8   | 12,56   |
| 200 / 10  | 15,70   |
| 200 / 15  | 23,43   |

|  |  |
|--|--|
|  | <h2 style="margin: 0;">Edelstahl Flach</h2> <p style="margin: 0;">Güte 1.4301 / geschliffen Korn 240</p> |
|--|--|

| Abmessung | kg/mtr. |
|-----------|---------|
| 20 / 3    | 0,47    |
| 20 / 4    | 0,63    |
| 20 / 5    | 0,79    |
|           |         |
| 30 / 3    | 0,71    |
| 30 / 4    | 0,94    |
| 30 / 5    | 1,18    |
| 30 / 6    | 1,41    |
| 30 / 8    | 1,88    |

| Abmessung | kg/mtr. |
|-----------|---------|
| 40 / 4    | 1,26    |
| 40 / 5    | 1,57    |
| 40 / 6    | 1,88    |
| 40 / 8    | 2,51    |
|           |         |
| 50 / 5    | 1,96    |
| 50 / 6    | 2,36    |

| Abmessung | kg/mtr. |
|-----------|---------|
| 60 / 6    | 2,83    |
| 60 / 8    | 3,77    |
|           |         |
|           |         |



## Edelstahl Rund

in den Güten 1.4301 und 1.4305

| Abmessung | kg/mtr. | Abmessung | kg/mtr. | Abmessung | kg/mtr. |
|-----------|---------|-----------|---------|-----------|---------|
| 2 mm      | 0,03    | 30 mm     | 5,55    | 80 mm     | 39,46   |
| 3 mm      | 0,06    | 32 mm     | 6,31    | 85 mm     | 44,55   |
| 4 mm      | 0,10    | 34 mm     | 7,13    | 90 mm     | 49,94   |
| 5 mm      | 0,15    | 35 mm     | 7,55    | 95 mm     | 55,64   |
| 6 mm      | 0,22    | 36 mm     | 7,99    | 100 mm    | 61,65   |
| 8 mm      | 0,40    | 38 mm     | 8,90    | 105 mm    | 68,00   |
| 10 mm     | 0,62    | 40 mm     | 9,86    | 110 mm    | 75,00   |
| 12 mm     | 0,89    | 42 mm     | 10,88   | 115 mm    | 82,00   |
| 14 mm     | 1,21    | 45 mm     | 12,49   | 120 mm    | 89,00   |
| 15 mm     | 1,39    | 46 mm     | 13,00   | 130 mm    | 104,0   |
| 16 mm     | 1,58    | 48 mm     | 14,21   | 140 mm    | 121,0   |
| 18 mm     | 2,00    | 50 mm     | 15,41   | 150 mm    | 139,0   |
| 20 mm     | 2,47    | 55 mm     | 18,65   | 160 mm    | 158,0   |
| 22 mm     | 2,98    | 60 mm     | 22,20   | 170 mm    | 178,0   |
| 25 mm     | 3,85    | 65 mm     | 26,05   | 180 mm    | 200,0   |
| 26 mm     | 4,17    | 70 mm     | 30,21   | 190 mm    | 223,0   |
| 28 mm     | 4,83    | 75 mm     | 34,58   | 200 mm    | 247,0   |



## Edelstahl Rund

1.4301 / geschliffen Korn 240

| Abmessung | kg/mtr. | Abmessung | kg/mtr. | Abmessung | kg/mtr. |
|-----------|---------|-----------|---------|-----------|---------|
| 10 mm     | 0,62    | 12 mm     | 0,89    | 16 mm     | 1,58    |

...auch andere Abmessungen auf Wunsch  
in geschliffener Ausführung (Korn 240 oder ähnlich) lieferbar !



## Edelstahl Vierkant

Güte 1.4301 / blank gezogen

| Abmessung | kg/mtr. |
|-----------|---------|
| 5 mm      | 0,20    |
| 6 mm      | 0,28    |
| 8 mm      | 0,50    |
| 10 mm     | 0,79    |
| 12 mm     | 1,13    |
| 14 mm     | 1,54    |
| 15 mm     | 1,77    |
| 16 mm     | 2,01    |
| 18 mm     | 2,54    |

| Abmessung | kg/mtr. |
|-----------|---------|
| 20 mm     | 3,14    |
| 22 mm     | 3,80    |
| 25 mm     | 4,91    |
| 30 mm     | 7,07    |
| 35 mm     | 9,62    |
| 40 mm     | 12,60   |
| 45 mm     | 15,90   |
| 50 mm     | 19,60   |
| 60 mm     | 28,26   |

| Abmessung | kg/mtr. |
|-----------|---------|
| 70 mm     | 38,50   |
| 75 mm     | 44,20   |
| 80 mm     | 50,20   |
| 90 mm     | 63,60   |
| 100 mm    | 78,50   |
| 120 mm    | 113,00  |
| 150 mm    | 177,00  |



## Edelstahl Sechskant

Güte 1.4301 oder 1.4305 / blank gezogen

| Abmessung | kg/mtr. |
|-----------|---------|
| SW 10 mm  | 0,68    |
| SW 13 mm  | 1,15    |
| SW 14 mm  | 1,33    |
| SW 17 mm  | 1,97    |
| SW 19 mm  | 2,45    |
| SW 22 mm  | 3,29    |

| Abmessung | kg/mtr. |
|-----------|---------|
| SW 24 mm  | 3,92    |
| SW 27 mm  | 4,96    |
| SW 30 mm  | 6,12    |
| SW 32 mm  | 6,96    |
| SW 36 mm  | 8,81    |
| SW 41 mm  | 11,43   |

| Abmessung | kg/mtr. |
|-----------|---------|
| SW 46 mm  | 14,39   |
| SW 50 mm  | 17,00   |
| SW 55 mm  | 20,57   |
| SW 60 mm  | 24,48   |
| SW 65 mm  | 28,72   |



# Edelstahl Winkel

Güte 1.4301 gleichschenkelig

| Abmessung          | kg/mtr. | Abmessung           | kg/mtr. | Abmessung             | kg/mtr. |
|--------------------|---------|---------------------|---------|-----------------------|---------|
| <b>10 / 10 / 2</b> | 0,32    | <b>40 / 40 / 4</b>  | 2,42    | <b>90 / 90 / 9</b>    | 12,2    |
|                    |         | <b>40 / 40 / 5</b>  | 2,97    |                       |         |
| <b>15 / 15 / 2</b> | 0,48    | <b>45 / 45 / 5</b>  | 3,34    | <b>100 / 100 / 6</b>  | 9,28    |
| <b>15 / 15 / 3</b> | 0,64    |                     |         | <b>100 / 100 / 8</b>  | 12,4    |
|                    |         |                     |         | <b>100 / 100 / 10</b> | 15,1    |
| <b>20 / 20 / 2</b> | 0,63    | <b>50 / 50 / 4</b>  | 3,07    | <b>100 / 100 / 12</b> | 17,8    |
| <b>20 / 20 / 3</b> | 0,88    | <b>50 / 50 / 5</b>  | 3,77    |                       |         |
| <b>20 / 20 / 4</b> | 1,14    | <b>50 / 50 / 6</b>  | 4,40    | <b>110 / 110 / 10</b> | 16,6    |
| <b>25 / 25 / 3</b> | 1,12    | <b>60 / 60 / 6</b>  | 5,42    |                       |         |
| <b>25 / 25 / 4</b> | 1,45    | <b>60 / 60 / 8</b>  | 7,09    | <b>120 / 120 / 10</b> | 18,1    |
| <b>25 / 25 / 5</b> | 1,77    | <b>60 / 60 / 10</b> | 8,69    |                       |         |
| <b>30 / 30 / 3</b> | 1,36    | <b>70 / 70 / 7</b>  | 7,38    | <b>130 / 130 / 12</b> | 23,6    |
| <b>30 / 30 / 4</b> | 1,78    |                     |         |                       |         |
| <b>35 / 35 / 4</b> | 2,10    | <b>80 / 80 / 6</b>  | 7,37    |                       |         |
| <b>35 / 35 / 5</b> | 2,57    | <b>80 / 80 / 8</b>  | 9,66    |                       |         |
|                    |         | <b>80 / 80 / 10</b> | 11,9    |                       |         |
|                    |         | <b>80 / 80 / 12</b> | 14,0    |                       |         |



## Edelstahl Winkel

Güte 1.4301 ungleichschenkelig

| Abmessung   | kg/mtr. |
|-------------|---------|
| 20 / 10 / 3 | 0,71    |
| 25 / 15 / 3 | 0,88    |
| 30 / 15 / 3 | 1,00    |
| 30 / 20 / 3 | 1,12    |
| 30 / 20 / 4 | 1,50    |
| 40 / 20 / 3 | 1,36    |
| 40 / 20 / 4 | 1,80    |
| 40 / 30 / 5 | 2,55    |
| 45 / 30 / 4 | 2,25    |
| 45 / 30 / 5 | 2,75    |
| 50 / 30 / 4 | 2,41    |
| 50 / 30 / 5 | 2,95    |
| 50 / 40 / 5 | 3,50    |

| Abmessung   | kg/mtr. |
|-------------|---------|
| 60 / 30 / 5 | 3,37    |
| 60 / 30 / 7 | 4,50    |
| 60 / 40 / 5 | 3,73    |
| 60 / 40 / 6 | 4,40    |
| 65 / 50 / 5 | 4,35    |
| 65 / 50 / 7 | 6,00    |
| 70 / 50 / 6 | 5,30    |
| 75 / 50 / 7 | 6,50    |
| 75 / 55 / 7 | 6,80    |
| 75 / 55 / 9 | 8,60    |
| 80 / 40 / 6 | 5,41    |
| 80 / 40 / 8 | 7,04    |
| 80 / 65 / 6 | 6,60    |
| 80 / 65 / 8 | 8,70    |
| 90 / 60 / 6 | 6,90    |
| 90 / 60 / 8 | 9,00    |
| 90 / 75 / 7 | 8,70    |
| 90 / 75 / 9 | 11,20   |

| Abmessung      | kg/mtr. |
|----------------|---------|
| 100 / 50 / 6   | 6,80    |
| 100 / 50 / 8   | 8,99    |
| 100 / 65 / 7   | 8,77    |
| 100 / 65 / 8   | 9,84    |
| 100 / 65 / 9   | 11,10   |
| 100 / 75 / 9   | 11,80   |
| 120 / 80 / 8   | 12,20   |
| 120 / 80 / 10  | 14,90   |
| 120 / 80 / 12  | 17,80   |
| 130 / 65 / 8   | 11,74   |
| 130 / 65 / 10  | 14,60   |
| 130 / 75 / 10  | 15,50   |
| 150 / 75 / 8   | 13,63   |
| 150 / 75 / 10  | 16,80   |
| 150 / 100 / 10 | 19,00   |



## Edelstahl Winkel, blank

Güte 1.4301

| Abmessung   | kg/mtr. |
|-------------|---------|
| 10 / 10 / 2 | 0,31    |
| 15 / 15 / 2 | 0,47    |
| 20 / 20 / 2 | 0,62    |
| 25 / 25 / 3 | 1,12    |

| Abmessung   | kg/mtr. |
|-------------|---------|
| 30 / 20 / 4 | 1,47    |
| 30 / 30 / 3 | 1,36    |
| 30 / 30 / 4 | 1,78    |
| 40 / 20 / 4 | 1,79    |
| 40 / 40 / 3 | 1,88    |
| 40 / 40 / 4 | 2,42    |

| Abmessung   | kg/mtr. |
|-------------|---------|
| 45 / 30 / 5 | 2,79    |
| 50 / 30 / 5 | 2,98    |
| 50 / 50 / 5 | 3,77    |



## Edelstahl - U

Güte 1.4301 (ähnlich DIN 1026)

| Abmessung         | kg/mtr. | Abmessung        | kg/mtr. | Abmessung         | kg/mtr. |
|-------------------|---------|------------------|---------|-------------------|---------|
| 30 / 15 / 5 / 4   | 1,78    | 65 / 42 / 5 / 8  | 7,40    | 140 / 60 / 7 / 10 | 16,40   |
| 30 / 33 / 5 / 7   | 4,30    |                  |         | 140 / 70 / 7 / 10 | 14,62   |
| 40 / 20 / 5 / 3   | 1,80    | 80 / 40 / 6 / 5  | 5,94    | 150 / 75 / 6 / 6  | 13,80   |
| 40 / 20 / 5 / 4   | 2,40    | 80 / 45 / 6 / 8  | 8,64    |                   |         |
| 40 / 35 / 5 / 7   | 4,80    |                  |         |                   |         |
| 50 / 25 / 3 / 3,5 | 2,28    | 100 / 50 / 6 / 5 | 7,65    | 160 / 80 / 8 / 8  | 19,21   |
| 50 / 25 / 5 / 6   | 4,20    | 100 / 50 / 6 / 6 | 8,94    |                   |         |
| 50 / 38 / 5 / 7   | 5,70    | 100 / 50 / 6 / 9 | 10,60   |                   |         |
| 60 / 30 / 6 / 6   | 5,10    | 120 / 55 / 7 / 9 | 13,50   | 180 / 90 / 8 / 8  | 21,60   |
|                   |         | 120 / 60 / 7 / 6 | 10,93   |                   |         |



## Edelstahl - T

Güte 1.4301 (ähnlich DIN EN 10055)

| Abmessung   | kg/mtr. | Abmessung   | kg/mtr. | Abmessung      | kg/mtr. |
|-------------|---------|-------------|---------|----------------|---------|
| 20 / 20 / 3 | 0,88    | 45 / 45 / 5 | 3,67    | 90 / 90 / 9    | 12,20   |
| 25 / 25 / 3 | 1,31    | 50 / 50 / 5 | 3,80    | 100 / 100 / 10 | 15,10   |
| 4           | 1,50    | 6           | 4,50    |                |         |
| 30 / 30 / 3 | 1,36    | 60 / 60 / 6 | 5,50    | 120 / 120 / 13 | 23,70   |
| 4           | 1,77    |             |         |                |         |
| 35 / 35 / 4 | 2,10    | 70 / 70 / 7 | 7,30    |                |         |
| 40 / 40 / 4 | 2,50    | 80 / 80 / 8 | 9,70    |                |         |
| 5           | 2,96    |             |         |                |         |



## Edelstahl T-breitfüßig

Güte 1.4301 (ähnlich DIN EN 10055)

| Abmessung   | kg/mtr. |
|-------------|---------|
| 30 / 60 / 5 | 3,7     |
| 35 / 70 / 6 | 4,7     |
| 40 / 80 / 7 | 6,2     |

| Abmessung     | kg/mtr. |
|---------------|---------|
| 50 / 100 / 8  | 9,0     |
| 60 / 120 / 10 | 13,4    |

Bei Winkel und T- Stahl in geschliffener Ausführung machen wir darauf aufmerksam, dass maschinell nur die beiden Außenseiten und Außenkanten geschliffen werden können!!!