

**Aluminium Rund**

Al Mg Si 0,5

Abmessung	kg/mtr.
6 mm	0,09
8 mm	0,15
10 mm	0,23
12 mm	0,32
14 mm	0,44
15 mm	0,51
16 mm	0,58
18 mm	0,73
20 mm	0,90

Abmessung	kg/mtr.
22 mm	1,10
25 mm	1,33
30 mm	1,91
35 mm	2,74
40 mm	3,58
45 mm	4,53
50 mm	5,59
55 mm	6,78
60 mm	8,05

Abmessung	kg/mtr.
65 mm	9,50
70 mm	11,0
75 mm	12,6
80 mm	14,4
90 mm	18,2
100 mm	22,4
120 mm	32,2
150 mm	50,4

**Aluminium Rund**

Al Cu Mg Pb (Bohr- u. Drehqualität)

Abmessung	kg/mtr.
3 mm	0,02
4 mm	0,04
5 mm	0,06
6 mm	0,09
7 mm	0,12
8 mm	0,15
10 mm	0,23
11 mm	0,28
12 mm	0,22
14 mm	0,44

Abmessung	kg/mtr.
15 mm	0,51
16 mm	0,58
18 mm	0,73
20 mm	0,90
22 mm	1,10
23 mm	1,19
24 mm	1,30
25 mm	1,41
26 mm	1,52
27 mm	1,64

Abmessung	kg/mtr.
28 mm	1,76
29 mm	1,89
30 mm	2,02
31 mm	2,15
32 mm	2,30
34 mm	2,60
35 mm	2,74
36 mm	2,90
38 mm	3,23
40 mm	3,58



Aluminium Rund

Al Cu Mg Pb

Abmessung	kg/mtr.	Abmessung	kg/mtr.	Abmessung	kg/mtr.
42 mm	3,93	80 mm	14,78	130 mm	39,06
44 mm	4,31	85 mm	16,70	135 mm	41,11
45 mm	4,68	90 mm	18,70	140 mm	45,26
50 mm	5,77	95 mm	20,79	150 mm	51,98
52 mm	6,24	100 mm	23,09	200 mm	92,40
55 mm	6,98	105 mm	25,41	250 mm	144,27
60 mm	8,31	110 mm	27,93	300 mm	207,08
65 mm	9,77	115 mm	30,60	350 mm	282,00
70 mm	11,31	120 mm	33,29	400 mm	369,00
75 mm	13,02	125 mm	36,12	500 mm	577,00

zur Information!

Al Mg Si 0,5 F 22

(mittlere Härte, für Bauwesen geeignet z.B. Fenster, Türen und Konstruktionen)

Al Cu Mg Pb F 37

(Bohr- und Drehqualität, gut drehbar, schlecht schweißbar z.B. für Maschinenbau)

Aluminium Flach


Al Mg Si 0,5

Abmessung	kg/mtr.	Abmessung	kg/mtr.	Abmessung	kg/mtr.
10 / 3	0,09	30 / 2	0,17	55 / 4	0,60
10 / 4	0,11	30 / 3	0,25	55 / 5	0,75
10 / 5	0,14	30 / 4	0,33	55 / 6	0,90
10 / 6	0,17	30 / 5	0,41	55 / 8	1,19
10 / 8	0,22	30 / 6	0,49	55 / 10	1,49
		30 / 8	0,65	55 / 20	2,97
		30 / 10	0,81		
		30 / 12	0,98		
		30 / 15	1,22		
		30 / 20	1,62		
12 / 3	0,10	35 / 2	0,19	60 / 2	0,33
12 / 4	0,13	35 / 3	0,29	60 / 3	0,49
12 / 5	0,17	35 / 4	0,38	60 / 4	0,65
12 / 6	0,20	35 / 5	0,48	60 / 5	0,81
12 / 8	0,26	35 / 6	0,57	60 / 6	0,98
12 / 10	0,34	35 / 8	0,76	60 / 8	1,30
		35 / 10	0,95	60 / 10	1,62
		35 / 12	1,14	60 / 12	1,95
		35 / 15	1,42	60 / 15	2,43
		35 / 20	1,89	60 / 20	3,24
15 / 2	0,09	40 / 2	0,22	65 / 5	0,88
15 / 3	0,13	40 / 3	0,33	65 / 8	1,41
15 / 4	0,17	40 / 4	0,44	65 / 10	1,76
15 / 5	0,21	40 / 5	0,54		
15 / 6	0,25	40 / 6	0,65		
15 / 8	0,33	40 / 8	0,87		
15 / 10	0,41	40 / 10	1,08		
15 / 12	0,49	40 / 12	1,30		
		40 / 15	1,62		
		40 / 20	2,16		
20 / 2	0,11	45 / 3	0,37	70 / 2	0,38
20 / 3	0,17	45 / 4	0,49	70 / 3	0,57
20 / 4	0,22	45 / 5	0,61	70 / 4	0,76
20 / 5	0,27	45 / 6	0,73	70 / 5	0,95
20 / 6	0,33	45 / 8	0,98	70 / 6	1,14
20 / 8	0,44	45 / 10	1,22	70 / 8	1,52
20 / 10	0,54	45 / 15	1,83	70 / 10	1,89
20 / 12	0,65	45 / 20	2,43	70 / 12	2,27
20 / 15	0,81			70 / 15	2,84
25 / 2	0,14	50 / 2	0,27	75 / 5	1,02
25 / 3	0,21	50 / 3	0,41	75 / 6	1,22
25 / 4	0,27	50 / 4	0,54	75 / 8	1,62
25 / 5	0,34	50 / 5	0,68	75 / 10	2,03
25 / 6	0,41	50 / 6	0,81		
25 / 8	0,54	50 / 8	1,10		
25 / 10	0,68	50 / 10	1,35		
25 / 12	0,81	50 / 12	1,62		
25 / 15	1,02	50 / 15	2,03		
25 / 20	1,35	50 / 20	2,70		

Aluminium Flach

Al Mg Si 0,5

Abmessung	kg/mtr.	Abmessung	kg/mtr.	Abmessung	kg/mtr.
80 / 2	0,44	130 / 5	1,76	200 / 5	2,70
80 / 3	0,65	130 / 8	2,81	200 / 8	4,32
80 / 4	0,87	130 / 10	3,51	200 / 10	5,40
80 / 5	1,08	130 / 15	5,27	200 / 15	8,10
80 / 6	1,30	130 / 20	7,02	200 / 20	10,80
80 / 8	1,73			200 / 30	16,20
80 / 10	2,16				
80 / 12	2,60				
80 / 15	3,24				
80 / 20	4,32				
90 / 3	0,73	140 / 5	1,89	220 / 10	5,94
90 / 4	0,98	140 / 10	3,78		
90 / 5	1,22	140 / 15	5,67		
90 / 6	1,46				
90 / 8	1,95				
90 / 10	2,43				
90 / 15	3,65				
90 / 20	4,86				
100 / 2	0,54	150 / 3	1,22	250 / 8	5,40
100 / 3	0,81	150 / 5	2,03	250 / 10	6,75
100 / 4	1,09	150 / 8	3,24	250 / 20	13,50
100 / 5	1,35	150 / 10	4,05		
100 / 6	1,62	150 / 12	4,86		
100 / 8	2,16	150 / 15	6,08		
100 / 10	2,70	150 / 20	8,10		
100 / 12	3,24	150 / 30	12,15		
100 / 15	4,05				
100 / 20	5,40				
110 / 8	2,38	160 / 10	4,32	300 / 10	8,10
110 / 10	2,97	160 / 15	6,48	300 / 20	16,20
120 / 4	1,30	180 / 5	2,43		
120 / 5	1,62	180 / 10	4,86		
120 / 6	1,95	180 / 20	9,72		
120 / 8	2,60				
120 / 10	3,24				
120 / 12	3,89				
120 / 15	4,86				
120 / 20	6,48				



Aluminium Winkel

gleichschenkelig Al Mg Si 0,5

Abmessung	kg/mtr.
10 / 10 / 2,0	0,10
12 / 12 / 2,0	0,12
15 / 15 / 1,5 2,0 15 / 15 / 3,0	0,12 0,16 0,22
20 / 20 / 1,5 2,0 2,5 3,0 4,0	0,16 0,21 0,26 0,30 0,39
25 / 25 / 2,0 2,5 3,0 4,0	0,26 0,33 0,39 0,50
30 / 30 / 2,0 2,5 3,0 4,0 5,0	0,32 0,39 0,47 0,61 0,74
35 / 35 / 2,0 3,0 4,0 5,0	0,37 0,54 0,72 0,88
40 / 40 / 2,0 3,0 4,0 5,0	0,43 0,63 0,83 1,02

Abmessung	kg/mtr.
45 / 45 / 2,0 4,0 5,0	0,48 0,93 1,15
50 / 50 / 2,0 3,0 4,0 5,0 6,0 8,0 10,0	0,53 0,79 1,04 1,29 1,53 1,99 2,43
60 / 60 / 2,0 2,5 3,0 4,0 5,0 6,0 8,0 10,0	0,64 0,80 0,95 1,26 1,56 1,85 2,41 2,97
70 / 70 / 2,5 5,0 6,0 7,0	0,93 1,83 2,18 2,51
80 / 80 / 2,0 3,0 4,0 5,0 6,0 8,0 10,0	0,86 1,28 1,69 2,10 2,50 3,29 4,05
90 / 90 / 3,0 10,0	1,44 4,59
100 / 100 / 4,0 5,0 6,0 8,0 10,0	2,12 2,64 3,14 4,15 5,13
120 / 120 / 2,5 8,0 12,0	1,61 5,02 7,39



Aluminium Winkel

ungleichschenlig Al Mg Si 0,5

Abmessung	kg/mtr.
15 / 10 / 2,0	0,13
20 / 10 / 1,5	0,12
20 / 10 / 2,0	0,16
20 / 10 / 3,0	0,22
20 / 15 / 2,0	0,18
20 / 15 / 2,5	0,22
20 / 15 / 3,0	0,26
25 / 10 / 2,0	0,18
25 / 10 / 2,5	0,22
25 / 15 / 2,0	0,21
25 / 15 / 2,5	0,26
25 / 15 / 3,0	0,30
25 / 20 / 1,5	0,18
25 / 20 / 2,0	0,24
25 / 20 / 2,5	0,29
30 / 10 / 2,0	0,21
30 / 15 / 2,0	0,24
30 / 15 / 3,0	0,35
30 / 20 / 1,5	0,20
30 / 20 / 2,0	0,26
30 / 20 / 3,0	0,33
30 / 20 / 4,0	0,39
30 / 25 / 2,0	0,50
30 / 25 / 3,0	0,29

Abmessung	kg/mtr.
35 / 10 / 2,0	0,24
35 / 15 / 2,0	0,26
35 / 15 / 2,5	0,33
35 / 20 / 2,0	0,29
35 / 20 / 3,0	0,43
35 / 25 / 2,0	0,32
35 / 25 / 3,0	0,47
35 / 30 / 3,0	0,51
40 / 10 / 2,0	0,26
40 / 15 / 2,0	0,29
40 / 15 / 4,0	0,56
40 / 20 / 2,0	0,32
40 / 20 / 2,5	0,39
40 / 20 / 3,0	0,47
40 / 20 / 4,0	0,61
40 / 20 / 5,0	0,75
40 / 25 / 2,0	0,34
40 / 25 / 2,5	0,43
40 / 25 / 3,0	0,51
40 / 25 / 4,0	0,66
40 / 30 / 2,0	0,37
40 / 30 / 2,5	0,46
40 / 30 / 3,0	0,55
40 / 30 / 4,0	0,72
45 / 10 / 2,0	0,28
45 / 15 / 2,0	0,32
45 / 20 / 2,0	0,35
45 / 20 / 3,0	0,51
45 / 25 / 2,0	0,37
45 / 30 / 3,0	0,59
50 / 10 / 2,0	0,32
50 / 15 / 2,0	0,34
50 / 15 / 2,5	0,43
50 / 15 / 3,0	0,51
50 / 20 / 2,0	0,37
50 / 20 / 2,5	0,46
50 / 20 / 3,0	0,55
50 / 20 / 4,0	0,72
50 / 25 / 2,0	0,40
50 / 25 / 2,5	0,49
50 / 25 / 3,0	0,59
50 / 25 / 4,0	0,77
50 / 30 / 2,0	0,63
50 / 30 / 3,0	0,83
50 / 30 / 4,0	1,01
50 / 30 / 5,0	0,71
50 / 40 / 3,0	0,93



Aluminium Winkel

ungleichschenkelig Al Mg Si 0,5

Abmessung	kg/mtr.
60 / 10 / 2,0	0,37
60 / 15 / 2,0	0,39
60 / 20 / 2,0	0,42
2,5	0,53
3,0	0,63
60 / 25 / 2,0	0,45
2,5	0,56
3,0	0,67
4,0	0,88
60 / 30 / 2,0	0,48
3,0	0,71
4,0	0,93
5,0	1,15
60 / 40 / 2,0	0,53
3,0	0,79
4,0	1,04
5,0	1,29
6,0	1,53
60 / 50 / 2,0	0,59
65 / 15 / 2,0	0,42
70 / 15 / 2,0	0,45
70 / 20 / 2,0	0,48
70 / 25 / 2,5	0,63
70 / 30 / 2,0	0,53
3,0	0,79
70 / 40 / 2,0	0,59
70 / 50 / 5,0	1,56
75 / 50 / 5,0	1,62
80 / 15 / 2,0	0,51
80 / 20 / 2,0	0,53
80 / 25 / 2,0	0,56
2,5	0,70
80 / 30 / 3,0	0,87
80 / 40 / 2,0	0,64
3,0	0,95
4,0	1,26
5,0	1,56
6,0	1,85
80 / 50 / 4,0	1,37
5,0	1,69
80 / 60 / 4,0	1,47
6,0	2,18

Abmessung	kg/mtr.
100 / 20 / 2,0	0,64
100 / 30 / 3,0	1,03
100 / 40 / 2,0	0,75
3,0	1,12
4,0	1,47
100 / 50 / 3,0	1,20
100 / 50 / 4,0	1,58
5,0	1,96
6,0	2,34
10,0	3,78
100 / 60 / 6,0	2,50
100 / 70 / 2,0	0,91
100 / 80 / 4,0	1,91
6,0	2,82
8,0	3,72
110 / 30 / 2,0	0,75
120 / 20 / 2,5	0,93
120 / 40 / 4,0	1,69
120 / 50 / 5,0	2,23
120 / 60 / 2,0	0,97
6,0	2,82
8,0	3,72
120 / 80 / 3,0	1,60
8,0	4,15
10,0	5,14
120 / 100 / 4,0	2,33
130 / 30 / 3,0	1,28
6,0	3,31
140 / 40 / 3,0	1,44
6,0	2,82
150 / 50 / 4,0	2,12
150 / 75 / 8,0	4,69
150 / 80 / 6,0	3,63
150 / 100 / 5,0	3,31
10,0	6,48
200 / 100 / 10,0	7,83
15,0	11,55



Aluminium U-Profile

Al Mg Si 0,5

Abmessung	kg/mtr.
10 / 10 / 10 / 2,0	0,14
20 / 10 / 20 / 2,0	0,25
12 / 12 / 12 / 1,5	0,14
12 / 12 / 12 / 2,0	0,18
13 / 12 / 13 / 2,0	0,19
12 / 14 / 12 / 2,0	0,19
16 / 14 / 16 / 2,0	0,23
15 / 15 / 15 / 2,0	0,23
20 / 15 / 20 / 1,5	0,22
20 / 15 / 20 / 2,0	0,28
10 / 20 / 10 / 2,0	0,20
15 / 20 / 15 / 2,0	0,25
20 / 20 / 20 / 1,5	0,24
20 / 20 / 20 / 2,0	0,31
20 / 20 / 20 / 3,0	0,44
25 / 20 / 25 / 2,0	0,36
28 / 20 / 28 / 1,5	0,30
30 / 20 / 30 / 2,0	0,41
40 / 20 / 40 / 2,0	0,52
40 / 20 / 40 / 2,5	0,65
15 / 25 / 15 / 2,0	0,28
20 / 25 / 20 / 2,0	0,33
20 / 25 / 20 / 3,0	0,47
25 / 25 / 25 / 2,0	0,39
25 / 25 / 25 / 3,0	0,56
15 / 30 / 15 / 2,0	0,31
15 / 30 / 15 / 3,0	0,44
20 / 30 / 20 / 2,0	0,36
20 / 30 / 20 / 3,0	0,51
30 / 30 / 30 / 2,0	0,47
30 / 30 / 30 / 3,0	0,68
40 / 30 / 40 / 3,0	0,84
50 / 30 / 50 / 3,0	1,00
60 / 30 / 60 / 2,0	0,79
20 / 35 / 20 / 2,0	0,39
25 / 35 / 25 / 2,0	0,44
35 / 35 / 35 / 2,0	0,55
35 / 35 / 35 / 3,0	0,81
40 / 35 / 40 / 2,5	0,75
53 / 35 / 53 / 3,5	1,28
15 / 40 / 15 / 2,0	0,36
20 / 40 / 20 / 2,0	0,42
20 / 40 / 20 / 2,5	0,51
20 / 40 / 20 / 3,0	0,60

Abmessung	kg/mtr.
25 / 40 / 25 / 2,0	0,47
25 / 40 / 25 / 3,0	0,68
25 / 40 / 25 / 4,0	0,89
30 / 40 / 30 / 2,0	0,52
30 / 40 / 30 / 3,0	0,77
40 / 40 / 40 / 2,0	0,63
40 / 40 / 40 / 2,5	0,78
40 / 40 / 40 / 3,0	0,93
40 / 40 / 40 / 4,0	1,21
40 / 40 / 40 / 5,0	1,49
50 / 40 / 50 / 2,0	0,74
60 / 40 / 60 / 4,0	1,65
65 / 40 / 65 / 2,0	0,90
25 / 45 / 25 / 3,0	0,73
12 / 45 / 12 / 2,5	0,44
15 / 50 / 15 / 2,0	0,41
20 / 50 / 20 / 2,0	0,46
20 / 50 / 20 / 3,0	0,69
25 / 50 / 25 / 2,0	0,52
25 / 50 / 25 / 2,5	0,65
30 / 50 / 30 / 2,0	0,58
30 / 50 / 30 / 3,0	0,83
30 / 50 / 30 / 4,0	1,11
40 / 50 / 40 / 3,0	1,01
40 / 50 / 40 / 4,0	1,32
50 / 50 / 50 / 2,0	0,79
50 / 50 / 50 / 3,0	1,17
50 / 50 / 50 / 4,0	1,54
50 / 50 / 50 / 5,0	1,89
45 / 55 / 45 / 2,0	0,77
50 / 55 / 50 / 2,0	0,82
20 / 60 / 20 / 2,0	0,52
25 / 60 / 25 / 2,5	0,71
30 / 60 / 30 / 3,0	0,93
40 / 60 / 40 / 2,5	0,92
40 / 60 / 40 / 3,0	1,09
40 / 60 / 40 / 4,0	1,43
40 / 60 / 40 / 5,0	1,76
50 / 60 / 50 / 2,0	0,85
50 / 60 / 50 / 2,5	1,05
50 / 60 / 50 / 3,0	1,25
60 / 60 / 60 / 3,0	1,41
60 / 60 / 60 / 4,0	1,85
60 / 60 / 60 / 5,0	2,30
25 / 65 / 25 / 2,5	0,75



Aluminium U-Profile

Al Mg Si 0,5

Abmessung	kg/mtr.
55 / 65 / 55 / 2,5	1,15
35 / 70 / 35 / 3,0	1,09
40 / 70 / 40 / 3,0	1,17
40 / 70 / 40 / 4,0	1,54
20 / 80 / 20 / 2,0	0,63
30 / 80 / 30 / 3,0	1,09
40 / 80 / 40 / 3,0	1,25
40 / 80 / 40 / 4,0	1,65
40 / 80 / 40 / 5,0	2,03
40 / 80 / 40 / 6,0	2,40
45 / 80 / 45 / 3,0	1,33
45 / 80 / 45 / 6,0	2,57
50 / 80 / 50 / 3,0	1,41
50 / 80 / 50 / 5,0	2,30
80 / 80 / 80 / 4,0	2,51
40 / 86 / 40 / 3,0	1,30
40 / 90 / 40 / 3,0	1,33
50 / 90 / 50 / 3,0	1,50
50 / 90 / 50 / 5,0	2,43

Abmessung	kg/mtr.
40 / 100 / 40 / 3,0	1,41
50 / 100 / 50 / 3,0	1,58
50 / 100 / 50 / 5,0	2,57
50 / 100 / 50 / 10	4,87
40 / 106 / 40 x 3,0	1,46
40 / 110 / 40 / 3,0	1,49
20 / 120 / 20 / 2,5	1,05
40 / 120 / 40 / 3,0	1,58
40 / 140 / 40 / 3,0	1,74
40 / 140 / 40 / 6,0	3,38
60 / 140 / 60 / 6,0	4,02
30 / 150 / 30 / 4,0	2,19
37 / 150 / 37 / 3,0	1,77
80 / 160 / 80 / 8,0	6,57
40 / 200 / 40 / 3,0	2,22
20 / 220 / 20 / 4,0	2,73
38 / 260 / 38 / 3,0	2,68




Aluminium T-Profile

Al Mg Si 0,5

Abmessung	kg/mtr.
15 / 15 / 2,0	0,16
20 / 20 / 2,0	0,21
20 / 20 / 3,0	0,30
20 / 40 / 2,0	0,32
25 / 25 / 2,0	0,26
25 / 25 / 3,0	0,39
30 / 15 / 2,0	0,24
30 / 30 / 2,0	0,32
30 / 30 / 3,0	0,47
30 / 60 / 4,0	0,93
35 / 35 / 2,0	0,37
35 / 35 / 3,0	0,55
40 / 20 / 2,0	0,32
40 / 40 / 2,0	0,43
40 / 40 / 3,0	0,63
40 / 40 / 4,0	0,83
45 / 45 / 3,0	0,71
50 / 50 / 4,0	1,04
50 / 50 / 5,0	1,28

Abmessung	kg/mtr.
50 / 80 / 5,0	1,69
60 / 30 / 4,0	0,92
60 / 40 / 5,0	1,28
60 / 60 / 4,0	1,26
60 / 60 / 6,0	1,85
70 / 70 / 5,0	1,83
70 / 70 / 8,0	2,85
80 / 50 / 5,0	1,69
80 / 80 / 4,0	1,69
80 / 80 / 6,0	2,50
90 / 30 / 2,0	0,64
100 / 60 / 5,0	2,09
100 / 100 / 10	5,13



Aluminium Z-Profile

Al Mg Si 0,5

Abmessung	kg/mtr.
H B C S	
10 / 15 / 10 / 2,0	0,20
15 / 15 / 15 / 2,0	0,23
18 / 20 / 21 / 3,0	0,43
20 / 18 / 21 / 3,0	0,43
20 / 20 / 20 / 2,0	0,31
25 / 17 / 17 / 2,0	0,30
25 / 25 / 25 / 3,0	0,56
30 / 25 / 25 / 3,0	0,60
30 / 30 / 30 / 3,0	0,69
30 / 30 / 40 / 3,0	0,77
32 / 17 / 17 / 2,0	0,34
40 / 15 / 15 / 2,0	0,36
40 / 30 / 30 / 3,0	0,77
40 / 40 / 40 / 3,0	0,93
43 / 18 / 18 / 3,0	0,60

Abmessung	kg/mtr.
H B C S	
50 / 18 / 18 / 3,0	0,65
50 / 30 / 30 / 3,0	0,85
50 / 35 / 35 / 3,0	0,93
50 / 50 / 50 / 4,0	1,54
60 / 24 / 24 / 2,0	0,57
60 / 24 / 24 / 4,0	1,09
60 / 30 / 30 / 2,0	0,63
60 / 40 / 40 / 4,0	1,43
70 / 40 / 40 / 3,0	1,17
86 / 40 / 40 / 3,0	1,30



Aluminium Vierkant-Profile

Al Mg Si 0,5

Abmessung	kg/mtr.
6	0,10
8	0,18
10	0,28
12	0,39
14	0,53
15	0,61
16	0,70
18	0,88
20	1,08
25	1,69

Abmessung	kg/mtr.
30	2,44
35	3,31
40	4,33
45	5,47
50	6,76
55	8,17
60	9,72
70	13,30
80	17,30
100	27,00